

The GT XT follows the design of our top-end rope access harnesses with modifications to bring it in line with the most current ANSI standards. With its dual certification (ANSI + EN), the GT XT satisfies the strict regulatory needs of workers in many parts of the world.

The padding uses variable thicknesses and stiffness to provide the right amount of support and comfort for every part of the body. New connection between the waist belt and leg loops for greater comfort both during suspension and on the ground.

Ventral attachment features two loops: the upper loop is for attaching a chest harness and chest ascender and the lower loop holds the ventral D-ring for attaching lanyards and rope tools. Supplied with a 3Lock steel carabiner with removable anti-rotation pin. Equipped with a keeper strap for securing a chest ascender in a streamlined way.

ANSI STS automatic buckles on the leg loops.

6 aluminum alloy attachment points: 1 sternal and 1 dorsal for fall arrest with certified load indicators, 1 ventral for suspension, 2 side and 1 back for positioning and restraint.

Certified break-away parking loops for lanyards on the shoulders.

Equipped with NFC TRACK tag for digital identification.

2 sizes.



**GT XT BLACK
266113**

Ref.	Product name	Size	Weight		Waist 	Legs 	Height 	CE			ANSI	ERC	Attachment points 
			g	oz	B (cm)	C (cm)	D (cm)	EN 358	EN 361	EN 813	Z359.11		
266101	GT XT	S-L	2600	91.8	80-120	50-65	55-75	.	.	.	.	.	
266113	GT XT BLACK	L-XXL	2720	96	90-140	60-75	65-85	.	.	.	.	.	



LANYARD PARKING



FALL INDICATOR

Six aluminum alloy attachment points:
1 sternal and 1 dorsal for fall arrest;
1 ventral for suspension; 2 side and
1 back for positioning and restraint

Certified break-away loops
for lanyards on the shoulders

NFC TRACK tag for
digital identification

Polyester webbing,
44 mm wide

Load indicators
stitching

Triple-layer belt
padding: comfortable
3D mesh inside

Additional rigid foam
on back load areas

Chest ascender
fastening

3 Lock steel carabiner
with removable
anti-rotation pin

Patented ventral
attachment features
two loops

Steel buckles for
belt and chest
adjustment

Small loops
for bags and
tools

Patented "Sicura" buckles
for fastening "Access Swing"
Ref.1963

Patented ANSI STS
automatic buckles
on the leg loops

Four large side
gear loops

Webbing system for
fastening gear-carabiner

C.A.M.P. presents a **complete solution for the digital management of PPE**, both for allocation to users and for periodic inspections: the **NFC TRACK hardware tags on the products** work seamlessly with the **G.T.S. - Gear Tracking System software** to make the system very intuitive and easy to use.




NFC TRACK chips are installed on many C.A.M.P. products (harnesses, helmets, Retexo lanyards). They **can also be attached directly on any PPE** by the user, so that the user can assign the PPE data to the chip by means of the C.A.M.P. G.T.S.

NFC (Near Field Communication) technology is now present on most smartphones and used every day for smart payments. Today, it also represents the future for the individual identification of products.

The **HF RFID** (High Frequency Radio Frequency Identification) communication system on which NFC is based allows the C.A.M.P. NFC TRACK to be easily read using any latest generation smartphone or for professionals using a PC reader.

NFC TRACK chip installed!



- G.T.S. - GEAR TRACKING SYSTEM

G.T.S. allows professionals to easily manage PPE both via the smartphone app (available on Play Store and Apple Store) and from a PC via the web app.

Two different packages allow for carrying out periodic inspections and also for managing the company allocation of PPE to its employees.

The database of **G.T.S.** includes the **technical information of all C.A.M.P. products** for work at height.

campgts.it

