

A basic, lightweight full body harness.

Easy Belt (ref.1268) can be attached for work positioning.

2 attachment points for fall arrest: 1 sternal double textile loop, 1 dorsal steel ring. Two gear loops.

Equipped with NFC TRACK tag for digital identification and tracking. One size fits all.

Leg loops are equipped with two-button automatic buckles for maximum ease of use.



| Ref.   | Product name | Size     | Weight |      | Chest  | Legs  | Height  | CE     | EAC | Attachment points                                                                     |
|--------|--------------|----------|--------|------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|-----|---------------------------------------------------------------------------------------|
|        |              |          | g      | oz   | A (cm)                                                                                    | C (cm)                                                                                   | D (cm)                                                                                       | EN 361 |     |  |
| 216701 | SWIFTY LIGHT | One size | 1080   | 38.1 | 80-140                                                                                    | 45-75                                                                                    | 55-85                                                                                        | •      | •   |                                                                                       |

- ❶ "A/2" Fall arrest attachment point with identification label. Strength > 15 kN.
- ❷ Main webbing made from polyester, 44 mm wide. Double colour for a easy identification of chest part and leg-loops.
- ❸ Fast adjustment steel buckles.
- ❹ Chest fastening plastic buckle.
- ❺ High strength stitchings made of polyamid thread.
- ❻ Two side gear loops, 20kg Max.
- ❼ Side crossing plate for improved size adjustment.
- ❽ Two-button automatic buckles for maximum ease of use.
- ❾ Back fall-arrest D ring made of zinc plated steel, fastened by a plastic plate. Strength > 15 kN
- ❿ Polyester webbing that avoids the leg-loops to slide down during work activities.
- ⓫ Equipped with NFC TRACK tag for digital identification.



C.A.M.P. presents a **complete solution for the digital management of PPE**, both for allocation to users and for periodic inspections: the **NFC TRACK hardware tags on the products** work seamlessly with the **G.T.S. - Gear Tracking System software** to make the system very intuitive and easy to use.

**NFC TRACK chips are installed on many C.A.M.P. products** (harnesses, helmets, Retexo lanyards). They **can also be attached directly on any PPE** by the user, so that the user can assign the PPE data to the chip by means of the C.A.M.P. G.T.S.



**NFC (Near Field Communication) technology** is now present on most smartphones and used every day for smart payments. Today, it also represents the future for the individual identification of products.

The **HF RFID** (High Frequency Radio Frequency Identification) communication system on which NFC is based allows the C.A.M.P. NFC TRACK to be easily read using any latest generation smartphone or for professionals using a PC reader.

**NFC TRACK chip installed!**



## - G.T.S. - GEAR TRACKING SYSTEM

G.T.S. allows professionals to easily manage PPE both via the smartphone app (available on Play Store and Apple Store) and from a PC via the web app (campgts.it).

Two different packages allow for carrying out periodic inspections and also for managing the company allocation of PPE to its employees.

The database of **G.T.S.** includes the **technical information of all C.A.M.P. products** for work at height and a **large number of other products** posted by other users of the community with publicly available information.

**campgts.it**

