

Tripod for confined spaces developed for the most complex access and recovery operations, for use by up to two people simultaneously in compliance with TS 16415.

The head is equipped with two swiveling anchor points for fixing rope access adjustment devices and two pulleys that allow the combined and simultaneous use of a Tripos Lift rescue winch and a Cobra Lift self-retracting device with retrieval function (supplied separately).

Sturdy telescopic legs are easy to adjust, equipped with rotating feet and safety chain.

Adjustable height: min 157 cm, max 254 cm.

Diameter: min 145 cm, max 210 cm.

Overall dimensions: 23x26x175 cm.






Supplied with carry bag




Ref.	Product name Nombre del producto	Weight Peso		CE EN 795/B •	STANDARD TS 16415 ↑↑
		kg	oz		
3507	TRIPOS	20	706.0		

- ❶ The head is equipped with two swiveling anchor points for fixing rope access adjustment devices.
- ❷ Two pulleys that allow the combined and simultaneous use of a Tripos Lift rescue winch and a Cobra Lift self-retracting device with retrieval function (supplied separately).
- ❸ Telescopic legs: easy to adjust.
- ❹ Automatic locking pins on the legs.
- ❺ Rotating feet and safety chain.
- ❻ Holes for fastening the Tripos Lift rescue winch.





TRIPOS and TRIPOS LIFT, one user, with risk of falling from a height
 TRIPOS e TRIPOS LIFT, un utilizzatore, con rischio di caduta dall'alto
 TRIPOS et TRIPOS LIFT, un utilisateur, avec risque de chute de hauteur



TRIPOS and two COBRA LIFT, two users, with risk of falling from a height
 TRIPOS e due COBRA LIFT, due utilizzatori, con rischio di caduta dall'alto
 TRIPOS et deux COBRA LIFT, deux utilisateurs, avec risque de chute de hauteur

