GYRO LANYARD TWIN

WORK POSITION LANYARD

INTERNATIONAL CE+ANSI | PAT. PEND

Ref. 348501

TREE CLIMBING, ROPE ACCESS, TEAM RESCUE

The Gyro Lanyard Twin is an exceptionally versatile double connection lanyard system for tree climbing.
It is equipped with two separate adjustment devices that allow the user to get in position on both the front and side attachment points at the same time.
The Gyro1 uniquely allows the user to rotate and tilt freely on each single leg.
The retrieving pulley features a minimal design and is equipped with a built-in secondary attachment point.
Soft 8 mm polyester-aramid cord integrates with the rope for smooth, precise, and secure length adjustment.
Pre-assembled with a Michoacan hitch, also certified with the Catalyst and Distel for the best possibility of customization.
The Iridium 11 mm Heatcore polyamide rope with exclusive CRT (Compact Rope Termination) loops delivers longlasting ease of handling, durability and robustness thanks to the Heatcore technology that joins the sheath and core. High visibility colors.
The adjustment system can be disassembled by the user (Torx T20 allen wrench included) to replace the rope and the cord.

348501 GYRO LANYARD TWIN + 4x2125 5 m





Ref.	Product name Nombre del producto	Weight Peso		CE	ANSI
		g	oz	EN 358	Z133:2017
348501	GYRO LANYARD TWIN + 4x2125 5 m	1080	38.1	•	•

GYRO LANYARD TWIN

WORK POSITION LANYARD

INTERNATIONAL CE+ANSI | PAT. PEND


Ref. 348501

TREE CLIMBING, ROPE ACCESS, TEAM RESCUE

Soft **8 mm polyester-aramid cord** integrates with the rope for smooth, precise, and secure length adjustment

Pre-assembled with a **Michoacan** hitch, also certified with the **Catalyst** and **Distel** for the best possibility of customization

Exclusive **Gyro swivel** for exceptional freedom of movement



The **retrieving pulley** features a minimal design and is equipped with a built-in **secondary attachment point**

11 mm Heatcore Rope: polyamide rope delivers long-lasting ease of handling, durability and robustness thanks to the Heatcore technology that joins the sheath and core. High visibility colors

CRT - Compact Rope Termination



The adjustment system can be disassembled by the user (Torx T20 allen wrench included) to replace the rope and the cord.



GYRO LANYARD SPARE ROPE
351601 2 m
351602 3.5 m
351603 5 m
351604 7 m
351605 10 m
Replacement ropes for the Gyro Lanyards.



GYRO LANYARD SPARE CORD
3518
Replacement hitch cord for the Gyro Lanyards.



GYRO LANYARD TWIN


WORK POSITION LANYARD


INTERNATIONAL CE+ANSI | PAT. PEND

Ref. 348501

TREE CLIMBING, ROPE ACCESS, TEAM RESCUE


VENTRAL ATTACHMENT USE






Single mode

LATERAL ATTACHMENT USE





GYRO LANYARD TWIN

WORK POSITION LANYARD

INTERNATIONAL CE+ANSI | PAT. PEND

Ref. 348501

TREE CLIMBING, ROPE ACCESS, TEAM RESCUE

MIXED USE

